

SPP116 Blueback poster paper, 115 g

Description: Wet-strength paper white matt with blue back

Application: Poster advertising indoors and outdoors.

Characteristics: The SPP1116 is convincing, easy to print and has excellent dimensional stability as well as good flatness.

The poster paper is water-resistant and easy to fold. The blue backing ensures that the paper is highly opaque, so that underlying motifs can be easily covered. The paper is environmentally friendly and recyclable.

Inks and printers:Universally applicable for printers with solvent, eco-solvent and UV-curing ink

Oppression: Before printing, acclimatize the material to room temperature (> 20°C) in the printing room for at least 2 hours. The printing side is on the outside. Ensure a dust-free printing environment and avoid fingerprints on the printing surface by wearing cotton gloves.

Lamination: Lamination is unusual for the intended application.

Storage: Store the material immediately after printing to avoid contamination and curling. Pack the material back into the protective film and store the roll upright in a light-protected and dust-free environment at 30 to 65% relative humidity and 10 to 30°C room temperature. The shelf life is 12 months.

Technical Data:

Characteristic	Value	method
total weight	115 gr	ISO536
thickness	145 µm	ISO534
opacity	> 98%	ISO2471
whiteness (CIE)	98%	ISO 11475

Notes: The technical data refers to the unprinted material. Our information does not release you from the obligation to carry out your own tests to check the suitability for your application. We have no influence on the properties and durability of the inks; please also note the instructions of the printer manufacturers. The data sheet is based on manufacturer information; Alphaset assumes no liability. Technical changes and typesetting errors reserved. Version March 2024

ALPHASET
TECHNOLÓGIE A MATERIÁLY NA VÝROBU REKLAMY

ALPHASET spol. s r.o.
 Kopčianska 19, 851 01 Bratislava
 tel: +421 2 6381 2255
 mobil: +421 918 656 524
 e-mail: alphaset@alphaset.sk

